

**Concepts of Programming Languages, CSCI 305, Fall 2021  
Homework #9, complete by Nov. 19**

Exercises 3.5, 3.6, 3.7 and 3.13 from the text (pages 167-171)

1. Exercise 3.5 Consider the following pseudocode:

```
1      procedure main()
2          a : integer := 1
3          b: integer :=2

4          procedure middle()
5              b : integer := a

6              procedure inner()
7                  print a, b
8                  a : integer := 3

9              -- body of middle
10             inner()
11             print a, b

12         ----- body of main
13         middle()
14         print a, b
```

Suppose this was code for a language with the declaration-order rules of C (but with nested subroutines)—that is, names must be declared before use, and the scope of a name extends from its declaration through the end of the block. At each *print* statement, indicate which declarations of a and b are in the referencing environment. What does the program print (or will the compiler identify static semantic errors)?

Repeat the exercise for the declaration-order rules of C# (names must be declared before use, but the scope of a name is the entire block in which it is declared).

Repeat the exercise for Modula-3 (names can be declared in any order, and their scope is the entire block in which they are declared).

2. Exercise 3.6 Consider the following pseudocode, assuming nested subroutines and static scope:

```
procedure main()
  g : integer

  procedure B( a :integer)
    x : integer

    procedure A( n :integer)
      g := n

    procedure R( m :integer)
      write_integer(x)
      x := 2 --- integer division (truncate fraction)
      if x > 1
        R(m+1)
      else
        A(m)
      end

    ----- body of B
    x := a x a
    R(1)

  ----- body of main
  B(3)
  write_integer(g)
```

- a. What does this program print?

b. Show the frames on the stack when A has just been called. For each frame, show the static and dynamic links.

c. Explain how A finds g.